

- THE WORLD'S TOUGHEST COATINGS™ -



MATERIAL SAFETY DATA SHEET GRAFFITI WIPES

GRAFFITI WIPES

Product Name: ANTI GRAFFITI WIPES
Product Number: ANTI GRAFFITI WIPES 04/2009#1
MSDS #: 04/2009
Date Issued: RockSolid Floor Industrial
Issued by:

For Emergency Assistance involving chemicals call CHEMTREC (800) 424-9300

MANUFACTURED BY:
RockSolid Floors Industrial
2271 2nd St N
North St Paul, MN 55109

MANUFACTURED EXCLUSIVELY FOR ROCKSOLID FLOORS INDUSTRIAL
TRANSPORTATION EMERGENCY • CALL CHEMTREC: (800) 424-9300 • INTERNATIONAL: (703) 527-3887

1. Product and Company Identification

Product Name: ANTI GRAFFITI WIPES

2. Hazards Identification

EMERGENCY OVERVIEW

POTENTIAL HEALTH EFFECTS

Primary Routes of Entry: Skin Contact, Eye Contact, Ingestion, Inhalation.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

N/A

INHALATION / ACUTE INHALATION

For Product: ANTI GRAFFITI WIPES N/A

SKIN / ACUTE SKIN

For Product: ANTI GRAFFITI WIPES N/A

CHRONIC SKIN

For Product: ANTI GRAFFITI WIPES

Prolonged contact can cause reddening, swelling, rash, and in some cases, skin sensitization.



EYE

For Product: ANTI GRAFFITI WIPES Mild
Irritation and redness

INGESTION / ACUTE INGESTION

For Product: ANTI GRAFFITI WIPES

Ingestion is not a typical route of industrial exposure. Not expected to be harmful if swallowed.

3. Composition/Information on Ingredients

Components	CAS-No.
Dimethyl Glutrate	1119-40-0
Dimethyl Succinate	106-65-0
Dimethyl Adipate	527-98-0

4. First Aid Measures

EYE CONTACT

Flush eyes under eyelids with large amounts of water until irritation. If irritation persists, get medical attention.

SKIN CONTACT

Wash with soap and water.

INHALATION

N/A

INGESTION

Contact physician or poison control immediately. Give person several glasses of water. DO NOT induce vomiting. NEVER give anything by mouth to an adequate ventilation.

VENTILATION

Use with adequate ventilation.

5. Fire-Fighting Measures

SUITABLE EXTINGUISHING MEDIA

Use water fog to cool fire-exposed surfaces and to protect personnel. Use foam, dry chemical, carbon dioxide, or water spray to extinguish.

6. Accidental release measures

SPILL AND LEAK PROCEDURES

Flush affected area with water.

7. Handling and Storage

STORAGE TEMPERATURE

Minimum: 0 C (32F)
Maximum: 50C (122F)



STORAGE PERIOD

6 months @ 25 deg C (77 deg F): after receipt of material by customer.

HANDLING / STORAGE PRECAUTIONS

Store containers in a cool, dry place. Keep container tightly closed when not in use. Keep out of reach of children.

8. Exposure Controls/ Personal Protection

RESPIRATORY PROTECTION

Not Required

HAND PROTECTION

Optional

EYE PROTECTION

Not Required

SKIN AND BODY PROTECTION

Standard work clothing and shoes.

9. Physical and chemical properties

Form:	Cloth
Color:	Light green
Odor:	Slight
Boiling Point/Range:	Not Determined
Flash Point:	Approximately 145 C (293F)
Solubility in Water:	Soluble
Specific Gravity	1.08
Vapor Density	> 1

10. Stability and Reactivity

HAZARDOUS POLYMERIZATION

Will not occur

STABILITY

Stable under normal conditions of use and storage.

MATERIALS TO AVOID

Oxidizing Agents

CONDITIONS TO AVOID

Not Applicable

HAZARDOUS DECOMPOSITION PRODUCTS

None.



11. Transportation information

PROPER SHIPPING NAME (DOT)
NOT CLASSIFIED AS HAZARDOUS

LAND TRANSPORT (DOT)
NON-REGULATED

SEA TRANSPORT (IMDG)
NON-REGULATED

AIR TRANSPORT (ICAO/IATA)
NON-REGULATED

12. Other Information

NFPA 704M RATING

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
CORROSIVE	0

0=INSIGNIFICANT 1=SLIGHT 2=MODERATE 3=HIGH 4=EXTREME

CONTACT PERSON:	PRODUCT SAFETY DEPARTMENT
TELEPHONE:	866-765-4310
MSDS NUMBER:	04/2009-#001
VERSION DATE:	04/2009

FOR ADDITIONS INFORMATION:
CONTACT: MSDS COORDINATOR- CFFS
DURING BUSINESS HOURS, CENTER-866-765-4310

NOTICE

CFFS EXPRESSLY DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS SHALL UNDER NOT CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. DO NOT USE INGREDIENT INFORMATION AND/OR INGREDIENT PERCENTAGES IN THIS MSDS AS A PRODUCT SPECIFICATION. FOR PRODUCT SPECIFICATION INFORMATION REFER TO A PRODUCT SPECIFICATION SHEET AND/OR A CERTIFICATE OF ANALYSIS. THESE CAN BE OBTAINED FROM YOUR LOCAL EFPLLC SALES OFFICE. ALL INFORMATION APPEARING HEREIN IS BASED UPON DATA OBTAINED FROM THE MANUFACTURER AND/OR RECOGNIZED TECHNICAL SOURCES. WHILE THE INFORMATION IS BELIEVED TO BE ACCURATE, EFPLLC MAKES NO REPRESENTATIONS AS TO ITS ACCURACY OR SUFFICIENCY. CONDITIONS OF USE ARE BEYOND EFPLLC CONTROL. THEREFORE, USERS ARE RESPONSIBLE TO VERIFY THIS DATA UNDER THEIR OWN OPERATING CONDITIONS TO DETERMINE WHETHER THE PRODUCT IS SUITABLE FOR THEIR PARTICULAR PURPOSES, AND THEY ASSUME ALL RISKS OF THEIR USE, HANDLING, AND DISPOSAL OF THE PRODUCT OR FROM THE PUBLICATION OR USE OF, OR RELIANCE UPON, INFORMATION CONTAINED HEREIN. THIS INFORMATION RELATES ONLY TO THE PRODUCT DESIGNATED HEREIN AND DOES NOT RELATE TO ITS USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY OTHER PROCESS.

END OF MSDS
MFG BY CFFS
04/2009