Printing date 15.02.2013 Revision: 25.01.2013

### 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RockSolid Floors Industrial Asphalt Patch
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \ {\sf Application} \ \ {\sf of} \ the \ {\sf substance} \ / \ the \ {\sf preparation} \qquad \quad {\sf Asphalt} \ {\sf Repair} \ {\sf Compound}$
- $\cdot$  1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: RockSolid Floors Industrial 2271 2nd St N

North St Paul, MN 55109 Phone: 866-765-4310 Fax: 763-780-4896

· 1.4 Emergency telephone number: CHEMTREC

1-800-424-9300 (US/Canada)

+01 703-527-3887 (International)

- THE WORLD'S TOUGHEST COATINGS™-



#### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified according to GHS regulations.

The product is not classified according to the CLP regulation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Not applicable.

- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for quartz note that substance must be respirable.
- · Classification system:
- The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

N/A

- · Hazard pictograms N/A
- · Signal word N/A
- · Hazard statements N/A
- · Precautionary statements
- P261 Avoid breathing dust.
- · Additional information:
- Safety data sheet available on request.

(Contd. on page 2)

Printing date 15.02.2013 Revision: 25.01.2013

Trade name: RockSolid Floor Industrial Asphalt Patch

(Contd. of page 1)

- · Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

· HMIS Long Term Health Hazard Substances

14808-60-7 Quartz (SiO2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2)  Xn R48/20	50-100%
	♦ STOT RE 2, H373	
CAS: 122-99-6	2-phenoxyethanol	<5,0%
	x Xn R22; x Xi R36	
Index number: 603-098-00-9	① Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 1305-62-0	calcium dihydroxide	<1,0%
EINECS: 215-137-3	Xi R41	
	♠ Eye Dam. 1, H318	

#### · Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for quartz note that substance must be respirable.

For the wording of the listed risk phrases refer to section 16.

#### 4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

Printing date 15.02.2013 Revision: 25.01.2013

Trade name: RockSolid Floor Industrial Asphalt Patch

(Contd. of page 2)

· After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · Hazards No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

#### 6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

- · **6.2 Environmental precautions:** No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 15.02.2013 Revision: 25.01.2013

Trade name: RockSolid Floor Industrial Asphalt Patch

(Contd. of page 3)

## 7 Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Protect from humidity and water.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that red	quire monitoring	g at the workplace:
--	------------------	---------------------

# 14808-60-7 Quartz (SiO2) PEL (USA) see Quartz listing REL (USA) 0,05\* mg/m³ \*respirable dust; See Pocket Guide App. A TLV (USA) 0,025\* mg/m³ \*as respirable fraction EL (Canada) 0,025 mg/m³ ACGIH A2; IARC 1 EV (Canada) 0,10\* mg/m³ \*respirable fraction

- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

(Contd. on page 5)

Printing date 15.02.2013 Revision: 25.01.2013

#### Trade name: RockSolid Floor Industrial Asphalt Patch

(Contd. of page 4)

Avoid close or long term contact with the skin.

· Respiratory protection:

Not required under normal conditions of use.

Use respiratory protection when grinding or cutting material.

- · Protection of hands: Strong material gloves
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

## 9 Physical and chemical properties

9.1 Information on basic physical a	and chemical properties	
General Information		
· Appearance: Form:	Pasty	
Colour:	Black	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
		(Contd. on page 6

Printing date 15.02.2013 Revision: 25.01.2013

**Trade name: RockSolid Floor Industrial Asphalt Patch** 

		(Contd. of page 5
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

## 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Avoid temperatures above 149 °C / 300 °F.

10.3 Possibility of hazardous reactions

Reacts with acids, alkalis and oxidizing agents.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Hydrocarbons

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.

(Contd. on page 7)

Printing date 15.02.2013 Revision: 25.01.2013

Trade name: RockSolid Floor Industrial Asphalt Patch

· Sensitization: No sensitizing effects known.

(Contd. of page 6)

#### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is partly biodegradale. Significant residuals remain.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Can be disposed of with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA	N/A	
· 14.2 UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	N/A	
· 14.3 Transport hazard class(es)	N/A	
· DOT, ADR, ADN, IMDG, IATA · Class	N/A	
		(Contd. on page 8)

Printing date 15.02.2013 Revision: 25.01.2013

**Trade name: RockSolid Floor Industrial Asphalt Patch** 

		(Contd. of page 7)
· 14.4 Packing group · DOT, ADR, IMDG, IATA	N/A	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	-	

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

Present in trace quantities: acetaldehyde.

	Quartz (SiO2)	
/5-0/-0	acetaldehyde	
· Chemicals known to cause reproductive toxicity for females:		

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

(Contd. on page 9)

Printing date 15.02.2013 Revision: 25.01.2013

**Trade name: RockSolid Floor Industrial Asphalt Patch** 

	(Contd. of page 8)		
9003-55-8 styrene-butadiene latex	3		
75-07-0 acetaldehyde	1		
· TLV (Threshold Limit Value established by ACGIH)			
14808-60-7 Quartz (SiO2)	A2		
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
14808-60-7 Quartz (SiO2)			
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			
· Canada			
· Canadian Domestic Substances List (DSL)			
All ingredients are listed.			
· Canadian Ingredient Disclosure list (limit 0.1%)			
None of the ingredients is listed.			
· Canadian Ingredient Disclosure list (limit 1%)			
14808-60-7 Quartz (SiO2)			
122-99-6 2-phenoxyethanol			
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried	out.		

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- R22 Harmful if swallowed.
- R36 Irritating to eyes.
- R41 Risk of serious damage to eyes.
- R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 10)

Printing date 15.02.2013 Revision: 25.01.2013

**Trade name: RockSolid Floor Industrial Asphalt Patch** 

(Contd. of page 9)

· Sources

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com