

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: RockSolid Industrial Deck Restoration**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the preparation** Stainer
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
ROCKSOLID FLOORS INDUSTRIAL
2271 2nd St N
North St Paul, MN 55109
Phone: 866-765-4310 Fax:
763-780-4896
- **1.4 Emergency telephone number:**
CHEMTREC
1-800-424-9300 (US/Canada)
+01 703-527-3887 (International)



2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



Eye Irrit. 2 H319 Causes serious eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



- **Signal word** Warning

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 1)

- **Hazard statements**

H319 Causes serious eye irritation.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- **Additional information:** N/A

- **Hazard description:**

- **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects



- **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 1

Reactivity = 0

- **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

| | | |
|--|--------------|--------|
| | PVA Polymer | 15-35% |
| | SB Copolymer | 15-35% |

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 2)

| | | |
|--|--|--------|
| CAS: 1344-28-1 EINECS: 215-691-6 | aluminium oxide | 10-30% |
| CAS: 122-99-6 EINECS: 204-589-7 Index number: 603-098-00-9 | 2-phenoxyethanol ☒ Xn R22; ☒ Xi R36 ☠ Acute Tox. 4, H302; Eye Irrit. 2, H319 | <5,0% |
| CAS: 1305-62-0 EINECS: 215-137-3 | calcium dihydroxide ☒ Xi R41 ☠ Eye Dam. 1, H318 | <5,0% |
| | Biocide (proprietary) ☒ Xi R36/38 ☠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 | <5,0% |

• **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Carbon monoxide (CO)
Nitrogen oxides (NO_x)
Under certain fire conditions, traces of other toxic gases cannot be excluded.

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 3)

- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** No further relevant information available.

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Provide ventilation for receptacles.
Store in a cool location.
Avoid storage near extreme heat, ignition sources or open flame.
Protect from humidity and water.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Protect from humidity and water.
Store receptacle in a well ventilated area.
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 4)

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

122-99-6 2-phenoxyethanol

| | |
|-------------|--|
| EV (Canada) | 141 mg/m ³ , 25 ppm Skin |
|-------------|--|

1305-62-0 calcium dihydroxide

| | |
|-------------|--|
| IOELV (EU) | 5 mg/m ³ |
| PEL (USA) | 15* 5** mg/m ³ *total dust **respirable fraction |
| REL (USA) | 5 mg/m ³ |
| TLV (USA) | 5 mg/m ³ |
| EL (Canada) | 5 mg/m ³ |
| EV (Canada) | 5 mg/m ³ |

14808-60-7 Quartz (SiO₂)

| | |
|-------------|--|
| PEL (USA) | see Quartz listing |
| REL (USA) | 0,05* mg/m ³ *respirable dust; See Pocket Guide App. A |
| TLV (USA) | 0,025* mg/m ³ *as respirable fraction |
| EL (Canada) | 0,025 mg/m ³ ACGIH A2; IARC 1 |
| EV (Canada) | 0,10* mg/m ³ *respirable fraction |

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

- **Respiratory protection:**

Not necessary if room is well-ventilated.
Use suitable respiratory protective device in case of insufficient ventilation.
Use respiratory protection when grinding or cutting material.

(Contd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 5)

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**

Contact lenses should not be worn.



Safety glasses

- **Body protection:** Protective work clothing

- **Limitation and supervision of exposure into the environment**

No further relevant information available.

- **Risk management measures**

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

| | |
|-------------------------|-----------------|
| Form: | Liquid |
| Colour: | Various colours |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |

- **pH-value:** Not determined.

- **Change in condition**

| | |
|-------------------------------------|---------------|
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |

(Contd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 6)

| | |
|---|---|
| · Flash point: | Not applicable. |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | Not determined. |
| · Decomposition temperature: | Not determined. |
| · Self-igniting: | Product is not self-igniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapour pressure: | Not determined. |
| · Density: | Not determined. |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with water: | Fully miscible. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | Not determined. |
| Solids content: | Not determined. |
| · 9.2 Other information | No further relevant information available. |

10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with catalysts, oxidizing agents and strong alkali.
Reacts with strong acids.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Hydrocarbons
Toxic metal oxide smoke

(Contd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 7)

Formaldehyde
Carbon monoxide and carbon dioxide
Halogenated hydrocarbons

11 Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Slight irritant effect on skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitizing effect by skin contact is possible by prolonged exposure.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

- **Repeated dose toxicity:** Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** The material is harmful to the environment.

- **12.2 Persistence and degradability** The product is partly biodegradable. Significant residuals remain.

- **12.3 Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- **Additional ecological information:**

- **General notes:**

This statement was deduced from products with a similar structure or composition.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 8)

13 Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
Smaller quantities can be disposed of with household waste.

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

- **14.1 UN-Number**

- **DOT, ADR, ADN, IMDG, IATA** N/A

- **14.2 UN proper shipping name**

- **DOT, ADR, ADN, IMDG, IATA** N/A

- **14.3 Transport hazard class(es)**

- **DOT, ADR, ADN, IMDG, IATA**

- **Class** N/A

- **14.4 Packing group**

- **DOT, ADR, IMDG, IATA** N/A

- **14.5 Environmental hazards:**

- **Marine pollutant:** No

- **14.6 Special precautions for user**

Not applicable.

- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

- **UN "Model Regulation":**

-

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **United States (USA)**

- **SARA**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

Trade name: RockSolid Floors Industrial Deck Restoration

(Contd. of page 9)

| | |
|--|-----------------|
| · Section 313 (Specific toxic chemical listings): | |
| 1344-28-1 | aluminium oxide |

| | |
|---|--|
| · TSCA (Toxic Substances Control Act): | |
| All ingredients are listed. | |

| | |
|--|--|
| · Proposition 65 (California): | |
| · Chemicals known to cause cancer: | |
| Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied. | |
| Present in trace quantities: formaldehyde, acetaldehyde. | |

| | |
|---------|--------------|
| 50-00-0 | formaldehyde |
|---------|--------------|

| | |
|---------|--------------|
| 75-07-0 | acetaldehyde |
|---------|--------------|

| | |
|------------|----------------------------|
| 14808-60-7 | Quartz (SiO ₂) |
|------------|----------------------------|

| | |
|--|--|
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |

| | |
|--|--|
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |

| | |
|---|--|
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |

| | |
|--|--|
| · Carcinogenic Categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |

| | | |
|---|----------------------------|---|
| · IARC (International Agency for Research on Cancer) | | |
| 14808-60-7 | Quartz (SiO ₂) | 1 |

| | | |
|---|----------------------------|----|
| · TLV (Threshold Limit Value established by ACGIH) | | |
| 1344-28-1 | aluminium oxide | A4 |
| 14808-60-7 | Quartz (SiO ₂) | A2 |

| | |
|---|----------------------------|
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| 14808-60-7 | Quartz (SiO ₂) |

| | |
|--|--|
| · OSHA-Ca (Occupational Safety & Health Administration) | |
| None of the ingredients is listed. | |

| | |
|--|--|
| · Canada | |
| · Canadian Domestic Substances List (DSL) | |
| All ingredients are listed. | |

| | |
|---|--|
| · Canadian Ingredient Disclosure list (limit 0.1%) | |
| None of the ingredients is listed. | |

| | |
|---|---------------------|
| · Canadian Ingredient Disclosure list (limit 1%) | |
| 1344-28-1 | aluminium oxide |
| 122-99-6 | 2-phenoxyethanol |
| 1305-62-0 | calcium dihydroxide |

(Contd. on page 11)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and
GHS

Printing date 15.02.2013

Revision: 28.01.2013

| |
|---|
| Trade name: RockSolid Floors Industrial Deck Restoration |
|---|

(Contd. of page 10)

| | |
|------------|----------------------------|
| 14808-60-7 | Quartz (SiO ₂) |
|------------|----------------------------|

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 R22 Harmful if swallowed.
 R36 Irritating to eyes.
 R36/38 Irritating to eyes and skin.
 R41 Risk of serious damage to eyes.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 ACGIH: American Conference of Governmental Industrial Hygienists
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 WHMIS: Workplace Hazardous Materials Information System (Canada)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)

· **Sources**

SDS Prepared by:
 ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com