
GHS

Printing date 12.07.2013

Revision: 12.07.2013



Printing date 12.07.2013

Revision: 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



1 Health = 1 Fire = 0 Reactivity = 0

· HMIS Long Term Health Hazard Substances

Substance is not listed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 1344-28-1 aluminium oxide
- · Identification number(s)
- · EC number: 215-691-6

4 First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Clean with water and soap.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Immediately remove contact lenses if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed Gastric or intestinal disorders.

· Hazards No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.

(Contd. on page 3)

GHS

Printing date 12.07.2013

Revision: 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

(Contd. of page 2) • **5.2 Special hazards arising from the substance or mixture** No further relevant information available. • **5.3 Advice for firefighters**

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Use respiratory protective device against the effects of fumes/dust/aerosol.
Avoid formation of dust.
Ensure adequate ventilation
 6.2 Environmental precautions: No special measures required.
 6.3 Methods and material for containment and cleaning up:
Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from humidity and water.

This product is hygroscopic.

· 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Revision: 12.07.2013

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

(Contd. of page 3) · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: Not required. 1344-28-1 aluminium oxide PEL (USA) Long-term value: 15*; 15** mg/m³ *Total dust; ** Respirable fraction Long-term value: 10* 5** mg/m3 REL (USA) *Total dust **Respirable fraction TLV (USA) Long-term value: 1* mg/m³ as AI; *as respirable fraction EL (Canada) Long-term value: 10 mg/m³ EV (Canada) Long-term value: 10 mg/m³ total dust · DNELs No further relevant information available. · PNECs No further relevant information available. • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Clean skin thoroughly immediately after handling the product. Avoid contact with the eyes. Do not inhale dust / smoke / mist. No further relevant information available. **Respiratory protection:** Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. Use suitable respiratory protective device when high concentrations are present. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses · Body protection: Protective work clothing

(Contd. on page 5)

Printing date 12.07.2013

Revision: 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

(Contd. of page 4) • Limitation and supervision of exposure into the environment No special requirements. • Risk management measures No special requirements.

9 Physical and chemical prope	erties	
· 9.1 Information on basic physical a	and chemical properties	
General Information		
· Appearance:		
Form:	Solid	
Colour:	Not determined.	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
[·] Change in condition		
Melting point/Melting range:	Melting Point Range: 3722 ° F / 2050 °C.	
Boiling point/Boiling range:	Undetermined.	
[·] Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
[·] Density at 20 °C:	3,97 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
		(Contd. on page

GHS

Printing date 12.07.2013

Revision: 12.07.2013

(Contd. of page 5)

Trade name: RockSolid Floors Industrial Wear Tough Additive

· 9.2 Other information

No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions

Reacts with strong acids.

Reacts with oxidizing agents.

Reacts with strong alkali.

Reacts with inorganic acid chlorides.

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

11.1 Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: Slight irritant effect on skin and mucous membranes.
- on the eye: Slight irritant effect on eyes.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

The substance is not subject to classification according to the latest version of the EU lists.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability

Inorganic product, is not eliminable from water by means of biological cleaning processes.

- · 12.3 Bioaccumulative potential Does not accumulate in organisms.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

GHS

Printing date 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

· 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed of with household waste.

Can be reused after reprocessing.

Contact waste processors for recycling information.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

Transport information		
· 14.1 UN-Number · DOT, ADR, ADN, IMDG, IATA	N/A	
• 14.2 UN proper shipping name		
· DOT, ADR, ADN, IMDG, IATA	N/A	
· 14.3 Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	N/A	
· 14.4 Packing group		
· DOT, ADR, IMDG, IATA	N/A	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
[•] 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	_	

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

Substance is not listed.

(Contd. on page 8)

Revision: 12.07.2013

(Contd. of page 6)

Printing date 12.07.2013

Revision: 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

	Contd. of pag
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
• TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
Substance is not listed.	
· IARC (International Agency for Research on Cancer)	
Substance is not listed.	
· TLV (Threshold Limit Value established by ACGIH)	
1344-28-1 aluminium oxide	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
Substance is not listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
Substance is listed.	
[·] Canadian Ingredient Disclosure list (limit 0.1%)	
Substance is not listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
Substance is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out	t.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

Printing date 12.07.2013

Revision: 12.07.2013

Trade name: RockSolid Floors Industrial Wear Tough Additive

(Contd. of page 8)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com